

OPERATING CONDITIONS	H-1	H-2	H-3	H-4	H-5
ALTITUDE	24,000	17,000	8,000	18,000	22,000
WEIGHT (X1000)	195	185	155	135	175
ENGINES OPERATING	3	3	3	3	3
HOLDING TIME (MIN)	15	30	45	25	35

FIGURE 84.—B-727 – Holding.

EPR IAS - KTS FF PER ENG - LB/HR		HOLDING B-727							
PRESSURE ALTITUDE FT	GROSS WEIGHT - 1000 LB								
	200	190	180	170	160	150	140	130	120
25000	1.85 268 3600	1.81 261 3400	1.77 253 3210	1.73 246 3030	1.69 238 2860	1.64 230 2680	1.60 222 2510	1.55 213 2340	1.51 205 2180
20000	1.69 265 3630	1.66 258 3450	1.62 251 3280	1.59 244 3110	1.55 236 2940	1.51 228 2770	1.48 220 2600	1.44 212 2440	1.40 204 2270
15000	1.56 263 3670	1.53 256 3500	1.50 249 3340	1.47 242 3170	1.44 235 3000	1.41 227 2850	1.38 219 2680	1.35 211 2520	1.32 203 2350
10000	1.45 262 3800	1.43 255 3640	1.40 248 3460	1.38 241 3310	1.35 234 3140	1.33 226 2970	1.30 218 2810	1.28 210 2640	1.25 202 2480
5000	1.36 260 3890	1.34 254 3720	1.32 247 3550	1.30 240 3380	1.28 233 3220	1.26 225 3060	1.24 218 2890	1.22 210 2730	1.20 201 2560

FIGURE 85.—B-727 – Holding Performance Chart.